UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 5

US EPA RECORDS CENTER REGION 5



002785

DATE:

March 23, 1995

SUBJECT:

Refined Metals Corporation (IND 000 718 130)

Revised Part A permit application

FROM:

Rob Hoelscher, RPB

T0:

Jonathon Adenuga, REB

Following our conversation today, I contacted Paula Bansch of IDEM to discuss the revised Part A application transmitted in a letter dated March 5, 1995, to the U.S. DOJ from Robert Steinwurtzel on behalf of Refined Metals Corporation. Apparently, the Consent Decree/Order will reference a Part A application to address the interim or final changes to the Refined Metals facility. In his letter, Mr. Steinwurtzel expresses the necessity of written approval from the regulatory agencies "before the Company undertakes the necessary modifications".

As you know, I am not familiar with the details of the tentative agreements between the U.S. EPA and Refined Metals or those between the State of Indiana and Refined Metals. Considering the eventual role played by RPB when Refined Metals seeks a RCRA permit, I would like to raise the following issues regarding the revised Part A application:

- Does this application represent the "final" or "interim" RCRA unit listing? In other words, do the units, capacities, and waste types reflect what was present in the past, what will be present until Refined secures a permit (interim), or what will be present after Refined secures a permit (final)? Related questions are as follows:
 - If the application reflects the interim plan of adding steel plates to area #2, the capacity of this unit does not match the capacity listed in the Part A application (448 cubic yards and 4600 cubic yards, respectively). In addition, on page 4 of 7 of the Part A, 2 units are indicated under process code S06.
 - As far as the design of unit #2 is concerned, steel plates under concrete should not be considered an adequate design for a RCRA containment building unit. This unit may be adequate in the interim, but should not be considered as a final (approved) design unless Refined provides additional information. I would ensure that all parties understand that the unit does not meet permitting standards.
 - According to Mr. Steinwertzel's letter, Area #2 is a 90-day unit. If so, why is it addressed in the Part A? Or isn't it?

Does or will Refined accept off-site K069? The listing of K069 in S01 particular will be subject to regulation. According to Paula Bansch, Interpretations have been made that the addition of off-site K069 throws the so-called "indigenous principle" out the window, thereby extending the derived-from rule to all wastes generated downstream. Simply put, the addition of off-site K069 could make end run or "discarded" slag a listed waste (K069). This is more of a State issue, though.

In summary, the design and construction of Area #2 is not an issue to RPB provided the order clearly spells out what it will be used for and for how long. We would not want to be in the position of reviewing the design for this unit after it had been built and put into service. The company should not expect the unit to be permitted unless the necessary design and operation information is submitted.

Paula Bansch, IDEM cc:



March 5, 1995

VIA COURIER

Leonard M. Gelman, Trial Attorney, Environmental Enforcement Section U.S. Department of Justice Box 7611, Ben Franklin Station Washington, D.C. 20044

Re: Refined Metals Corporation

Dear Lee:

On behalf of Refined Metals Corporation, I am writing you with respect to the meeting conducted on February 9, 1995.

Initially, I would like to apologize for the delay in preparing this correspondence. Effective February 27, I joined the law firm of Swidler & Berlin Chartered. One consequence of moving my practice (and 500 boxes) is that I have not been able to address the issues raised during the meeting. Hopefully, this letter will begin to remedy that deficiency.

As per our discussions, please find enclosed a copy of a draft Part A permit application. While EPA and IDEM are not authorized to approve the Part A permit application, the Company wanted to provide a draft in recognition of the cooperative nature of the negotiations. It is my understanding that the Part A permit application will be attached as Exhibit A to the Consent Decree. By this letter, I am requesting that IDEM and EPA forward to my attention, any comments regarding the enclosure.

In addition, during the meeting the parties addressed the land disposal restrictions ("LDRs") requirements as they relate to slag material which is not reclaimed and thus becomes a solid waste (hereinafter referred to as "discarded" slag). Since the parties are assuming that the discarded slag is a hazardous waste, we explored the application of the LDRs to the material. The parties concluded that in order for Refined Metals Corporation to satisfy 40 C.F.R. Section 264, Subpart DD, it must retrofit the existing discarded slag storage area.

Leonard M. Gelman, Esq. March 5, 1995
Page 2

The parties determined that the facility could meet the LDRs exemption criteria provided it installs steel plates underneath the discarded slag storage area and elevates the walls surrounding that area. EPA requested that Refined Metals Corporation confirm, in writing, its commitment to upgrade the discarded slag storage area in conformance with the February 9 discussions. This letter will serve as that confirmation.

Specifically, Refined Metals Corporation will only store discarded slag in the area designated "2" in the attached diagram. Furthermore, no discarded slag will be stored for more than 90 days. This area, which is approximately 56' by 27', will be underlined with steel plates. The facility is currently investigating the thickness of the steel plates; a minimum of 3/8" will be required. A new wall will be installed to segregate this area; the approximate configuration of the wall will be 56' x 8' x 8". Further, the existing exterior wall will be elevated. Consequently, the area will be surrounded, on three sides, by 8' concrete walls.

Refined Metals Corporation requests that the regulatory agencies review this proposal and provide written approval before the Company undertakes the necessary modifications.

On behalf of Refined Metals Corporation, we appreciate your attention to this request. Under separate cover, I will provide you with the revised language in connection with the Consent Decree.

Sincerely,

Robert N. Steinwurtzel

Enclosures

cc: Brian Barwick
Leslie Williams
Bill Freudiger
Mike Meloy
Craig Hogarth

REFINED METALS BEECH GROVE N **MATERIAL STORAGE ROOM** Ε S RAISE WALL STEEL LINING NEW WALL BREAKER 4 5 14 9 6 10 8

FURNACE

÷

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only GSA No. 0248-EPA-01 EPA I.D. Number (Enter from page 1) Secondary ID Number (Enter from page 1) 3 0 I N D 0 0 0 7 1 8 N A VII. Operator information (See instructions) Name of Operator F R I D Street or P.O. Box 7 0 0 E U R N N E State Zip Code City or Town E E C H G R 0 v E T N 6 0 1 B. Operator Type C. Change of Operator Date Changed indicator Phone Number (Area Code and Number) Month Day Year 7 7 8 7 6 6 4 P Yos No 3 1 VIII. Facility Owner (See Instructions) A. Name of Facility's Legal Owner E F E T R P 0 0 N R I N D Street or P.O. Box X 9 0 0 9 0 В 0 State Zip Code City or Town 8 3 M P C. Change of Owner Date Changed B. Owner Type Phone Number (Area Code and Number) Indicator Month Day Year 7 5 3 P Yes No IX, SIC Codes (4-digit, in order of significance) Primery Secondary 3 1 Secondary Lead Smelting & Refining 4 Secondary Secondary X. Other Environmental Permits (See Instructions) **B.** Permit Number C. Description A. Permit Type (Enter code) E 3 3 1 3 POTW DISCHARGE PERMIT E 0 0 3 6 AIR POLLUTION CONTROL SECTION



Please print o	y type with E	TIE MOS	(12 char	SCIENT PE	ik ilucui) ik		TOTO E VE	a crey
l	4.0		200		5 - 1 - 1	5.00		1.00
EPA I.D.	Mirmhar	(Fnter t	man n	ene 1)	define de			1.44
L EFA GO.	· · · · · · · · · · · · · · · · · · ·		tast be		12.11.00	Contract the second	Section 18	

8

Secondary iD Number (Enter from page 1)

A

Nature of Business (Provide a brief description)

0

SIC Code 3341 - Lead-Acid battery reclamation/secondary smelting of lead-bearing scrap and residues.

DRAFT

XII. Process Codes and Design Capacities

٥

ם 0

- A. PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes... If more lines are needed, attach a separate sheet of paper with the additional... Information. For other processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.

 B. PROCESS DESIGN CAPACITY - For each code entered in column A, enter the capacity of the process.

0

- AMOUNT Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of weste for that process.
- UNIT OF MEASURE For each amount entered in column 8(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.
- C. PROCESS TOTAL NUMBER OF UNITS Enter the total number of units used with the corresponding process code.

PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS CODE	PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
D79	Disposal: Underground Injection	Gallons; Liters; Gallons Per Day; or Liters Per Day	787 788	Smelting, Melting or Refining Furnace Titanium Dioxide	
D80	Landfill	Acre-fee or Hectare-meter	100	Chioride Process	
D81	Land Treatment	Acres or Hectares		Oxidation Reactor	
D82	Ocean Disposal	Gallons Per Day r Liters Per Day	T89	Methane Reforming	1
D83	Surface Impoundment	Gallons or Liters		Fumace	Gallons Per Day: Liters Per
D99	Other Disposal Storage:	Any Unit of Measure Listed Below	T90	Pulping Liquor Recovery Fumace	Day; Pounds Per Hour; Short Tons Per Hour; Kliograms Per
s	Container (Barrel, Drum, Etc.)	Gallons or Liters	191	Combustion Device Used in the Recovery	Hour, Metric Tons Per Day; Metric Tons Per Hour, Short
S02	Tenk	Gallons or Liters		of Sulfur Values from	Tons Per Day; or BTUs Per
503	Waste Pile	Cubic Yards or Cubic Meters	1	Spent Sulfuric Acid	Hour
S04	Surface impoundment	Gallons or Liters	T92	Halogen Acid Furnaces	
S05 S06	Drip Pad	Gallons or Liters Cubic Yards or Cubic Meters	T93	Other industrial	1
200	Containment Building- Storage	CUDIC Tards or Cubic Meters		Fumaces Listed in 40	1
S99	Other Storage Treatment:	Any Unit of Measure Listed Below	T94	CFR §260.10 Containment Building-	Cubic Yards or Cubic Meters
T01	Tank	Gallons Per Day or Liters Per Day	H	Miscellaneous (Subpart	
T02	Surface Impoundment	Gallons Per Day or Liters Per Day	H	X):]
	Incinerator	Short Tons Per Hour, Metric Tons Per Hour, Gallons Per Hour, Liters	X01	Open Burning/Open Detonation	Any Unit of Measure Listed Below
T04	Other Treatment	Per hour, or BTUs Per Hour Gallons Per Day or Liters Per Day Pounds Per Hour, Short Tons Per Hour, Kliograms Per Hour, Metric Tons Per Day, Metric Tons Per	X02	Mechanical Processing	Short Tons Per Hour, Metric Tons Per Hour, Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; or Kilograms Per Hour
T80	Boiler	Hour, Short Tons Per Day; or BTUs Per Hour Gallons or Liters	XO3	Thermal Unit	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per
181 182 183 184	Cement Klin Lime Klin Aggregate Klin Phosphate Klin	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kliograms Per Hour; Metric Tons Per Day; Metric Tons Per			Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or BTUs per Hour
T85 T86	Coke Oven Blast Furnace	Hour; Short Tons Per Day; or BTUs Per Hour	X04 X99	Geologic Repository Other Subpart X	Cubic Yards or Cubic Meters Any Unit of Measure Listed Below

UNIT OF MEASURE								•	A	Ε	A.	T OF SURE SODE
Gallons	 			 •	:		 	 				E U L
Liters Per Day												

UNIT OF MEASURE	UNIT OF MEASURE CODE
Short Tons Per Hour	D
Metric Tons Per Hour	
Short Tons Per Day	N
Metric Tons Per Day	S
Pounds Per Hour	J

UNIT OF MEASURE	UNIT OF MEASURE CODE
Cubic Yards	 Y
Acres	 _
Hectares	
Btu's Per Hour	

Form Approved, OMB No. 2050-0034 Expires 9-30-98

GSA No. 0248-EPA-OT

EΡΑ	I.D.	Numb	er (Ente	r fro	m page	1)			:		u Light				Se	BCO	ndary	N. N	umber	(Ente	r fre	om p	page	1)	-	
	N	D C	0	0	7 1	8	1	3	0			4000 2 <u>84</u> 08			N	1	7								-	T
١.		Proces	ss Code	S 21	nd Desig	n Cap	abil	ities (Con	tinue	d)							. :					•			
1	XAM	PLE F	OR COM	PLE	TING ITE	M XII	(Sha	wn in	line i	numb	er X-1	bek	w):	A facil	ity has	s a s	torage	e tank	c, which	can	holo	1 533	3,788	galle	ons.	_
Lin	e ber		rocess code					8. PF	a en de a en des	re de la com Reserva		I CAP	ACI	η		lini	t of		Proces Total Imber o				or Of Use	ficial Only		
	. The Mark	(From	lisi above	y				<i>A</i> ,,,00	,,,, (c	,ρ.σ.,	77				Me	0#\$L	ode)		Units		W 		·		jeni Žitove	
-	1	S	0 2	<u> </u>			Signal (vi (viji)	980Š	2130,868 2130,868	5 :	3 J	. 7	8.8	<u> 8</u>	G	86 - W		001					4		Γ
	1	s	0 1	_					1	, 2	0	7 .	5	9 2	G		·	00	3							
	. 2	s	0 6		· · · · · · · · · · · · · · · · · · ·							4.	6	00	Y			00	2							
:	3	s	0 4							6	0	0.	0	0 0	G			00	1							Γ
	4	s	0 3								1	5.	0	0 0	Y			00	9		T					Γ
å.	5										•										\top					Γ
9	6																	1								Γ
	7											-			-		-				1					Γ
	8																				\top					T
	9			\top																	十					r
	0			十		· · · · ·					•									一	\top					T
	1			7				<u>-</u> -										1		_	十	\dashv				t
:::	2			一												_				一	十					t
30	3	<u> </u>		_																一	十	\neg				t
١	iumb III.	erthe	lines se	que	st more ti ntially, ta Follow in	king i	nto i	eccou	nt ar	ny iin	es th	et wii	i be	used t	or ot	her	proc	9350	s (l.e., l	D99, S	e s a 399,	me T04	iom , and	nat a: I X99	s abo) in h	te
			N 11500	Т								·		ry			_		Proces	s [).De	scrip	otion	of Pi	0005	3
∐n ım	e ber	0	ocess ode list above	Ĭŧ.	and the state of		1.	Amou	int (S	pecif	y)				2. Me	Unit	of ire		Total Imber o Units	f					-77	
_		<u> </u>	1946	—j-			_		_				Wiger	71	(Ente		ode)	-	P., 4,	<u> </u>					: 	_
4	1	T	0 4		em efu.	. : :::::			ger it	magala T		· <u>.</u>	erin.	.24.				-		 -		(I)-5()	u VII	rifica	uon	_
		<u></u>														Japa Janus										
7	2		**** 				. :	w 34	44 TV 44		ja (*)			··· tu		 -		Т								_
		L. <u>.</u>					es Pro- coconn											 								
	3					<u>·</u> _					· · · ·							Т	-	一						_
													N A V													
* :	4											•														
	; ;+11	· .		e je Vale													- J.									

EP/	l.D	. Nu	mber	(Ent	er in	om p	age	1).	.4			Sec	ond	ary II	D Numbe	e (Ent	er fr	om p	ege	1)	
I	N	ם	0	0	0	7	1	8	1	3	0	N	A								
	<u>.</u>	Dec	crip	ion	of Ha	zard	ous '	Wasi		Uşk											

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous weste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A, estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A, estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8, enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

à L	ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
	POUNDS	P	KILOGRAMS	К
	TONS	7	METRIC TONS	м

If facility records use any other unit of measure for quantity; the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste:

- D. PROCESSES
 - 1. PROCESS CODES:

DRAFT

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in Rem XII A. on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of processes codes contained in item XII A, on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- Enter the first two as described above.
- 2. Enter *000* in the extreme right box of item XIV-D(1).
- 3. Enter in the space provided on page 7, item XIV-E, the line number and the additional code(s).
- 2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter R in column A. On the same line complete columns B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and for dispose of the waste.
- In column A of the next line, enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 3 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

Lir Num			HA WAS	EPA ZARI TE N) O.	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (Enter code)		(1) P	ROC	ESS		ES (E				OCESS (2) PROCESS DESCRIPTION
		<u> </u>			, , , , , , , , , , , , , , , , , , , 	77.072			3		1/3						(if a code is not entered in D(1))
	1	K	0	5	4	900	P	T	0:	3	D	. 8	0		544	115 A	
X	2	D	0	0	2	400	P 3 1	T	0.	3	D	8	0				
X	3	D	0	0	.1	100	. . 	T	0	3	D	8	0	21 Î	11.7 21.44		
X	4	D	O	0	2				. '# .			arkė	W.			-	Included with above

 EPA I.D. Number (Enter from page 1)
 Secondary ID Number (Enter from page 1)

 I N D 0 0 0 7 1 8 1 3 0
 N A

XIV.	្រុ	Desc	riptic	n of	Hez	ardous Wastes (Co	ntinued)										
, LI	ne nber	L	A. AZAI	EPA	18	B. ESTIMATED ANNUAL	C. UNIT OF MEASURE								D.	PRO	CESSES
14011			VAST Enter	EN)	QUANTITY OF WASTE	(Enter Code)	(1)	PRO	OCE	SS 6	ODI	:3 (1	Ente	7 000	de)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	D	0	0	8	50,000	T	s	0	1	s	0	6	s	0	3	S04
	2	D	0	0	2	1,700,000	G	s	0	1	s	0	6	s	0	3	
	3	K	0	6	9	5,000	T	s	0	1	s	0	6	s	0	3	Æ
	4																, Ç \
	5																ORAF
	6																0,
	7																
	8																
	9		"												L		
1	0														<u> </u>		
1	1					,				_					_		
1	2	_	<u> </u>		<u> </u>										_		
1	3														L		
1	4		<u> </u>					<u> </u>							L		
1	5				<u> </u>			_		_	_	_			_		
1	8							_			_						
1	7		<u> </u>		_			<u> </u>							_		
1	8				<u> </u>	, , , , , , , , , , , , , , , , , , ,		<u> </u>				_	_	_		_	
1	9	<u> </u>	<u> </u>	_	<u> </u>			<u> </u>				L					
2	0	<u> </u>	<u> </u>					<u> </u>						_		_	
2	1	<u> </u>						<u> </u>	_	_	_		_	_		_	
2	2	<u> </u>		_				_	<u> </u>		L		_	_	_	_	
2	3	<u> </u>	<u> </u>					_	<u> </u>					_			
2	4		_		<u> </u>				_	_				_	_	_	
2	5				<u> </u>				_							_	
2	6			_	<u> </u>		<u> </u>	_		_	_	_					
2	7	_									_			_	_		
2	8								_			_				_	
2	9	$oxed{oxed}$										<u> </u>			_		
3	0	L			_			<u> </u>	_	_			_				
3	1							$oxed{oxed}$									
3	2									<u> </u>						_	
3	3																

lease print or type with ELITE type (12 characters per inch) in the unshaded areas only GSA	34 Expires 9-30-96 No. 0248-EPA-OT
EPA I.D. Number (Enter from page 1) Secondary ID Number (Enter from page	
I N D O O O 7 1 8 1 3 0	
X Map	
Attach to this application a topographic map, or other equivalent map, of the area extending to at least one mile beyond property bounda. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers and of surface water bodies in this map area. See instructions for precise requirements.	f its
XVI. Facility Drawing	
All existing facilities must include a scale drawing of the facility (see instructions for more detail).	
XVII. Photographs	
All existing facilities must include photographs (aerial or ground-level) that clearly delineate all existing structures; existing storage, treatment disposal areas; and sites of future storage, treatment or disposal areas (see instructions for more detail).	and
XVIII. Certification(s)	
XVIII. Southingarion(a)	
to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons we system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonme violations. Owner Signature Date Signed	true, accurate,
Ne and Official Title (Type or print)	
Owner Signature Date Signed	
Name and Official Title (Type or print)	<u> </u>
Operator Signature Date Signed	!
Name and Official Title (Type or print)	
Operator Signature Date Signed	
Name and Official Title (Type or print)	
XIX. Comments	
1 S03 Units are designated as separate units for administrative purposes in the Part A Hazardous Waste Permit Application.	
	•

Note: Mail completed form to the appropriate EPA Regional or State Office. (Refer to instructions for more information)

- 7 of 7 -





REF: USGS 7.5 MINUTE SERIES


INDIANA - BEECH GROVE QUADRANGLE

HERITAGE ENVIRONMENTAL SERVICES, INC.

SCALE DRAWINGS EXISTING REGULATED UNITS AND UNITS BEING PERMITTED









LEGAL DESCRIPTION

Part of the Northeast Quarter and part of the Southeast Quarter of Section 27, Township 15 North Range 4 East, Marion County, Indiana, being more particularly described as follows:

Commencing at the Southeast corner of said Northeast Quarter; thence North 0° 04'06" West, on and along the East line of said Northeast Quarter, 27.83 feet measured (27.6 feet deed) to the Southwesterly line of the original 80 foot right of way line of the C. C. C. St. L. R. R.; thence North 49° 57'00" West on and along said right of way line, 19.61 feet measured (19.60 feet deed) to the point of beginning of this description; thence South 0° 04'08" East, parallel to and 15.00 feet from said East line, 40.45 feet, thence South 0° 00'00" West, parallel to and 15.00 feet from the East line of said Southeast Quarter, 1527.23 feet to the Northeasterly line of Big Four Road; thence North 49° 57'00" West, on and along said Northeasterly line, 1150.00 feet thence North 40° 08'00" East 80.00 feet, thence North 49° 57'00" West, parallel to said Northeasterly line, 280.24 feet; thence North 40° 02'50" East measured (North 40° 03' East deed) 1120.00 feet to said Southwesterly rail road right of way line; thence South 49° 57'00" East, on and along said right of way line, 421.53 feet to the point of beginning.









105 South Meridian Street P.O. Box 6015 Indianapolis 46206-6015 Telephone 317/232-8603

June 3, 1991

Mr. T. Wilham Freudiger, Vice President Refined Metals Corporation P.O. Box 9009 Memphis, Tennessee 38109

Re: Request for Revision of the

Part A Application

Refined Metals Corporation Indianapolis, Indiana

IND 000718130

Dear Mr. Freudiger:

The Indiana Department of Environmental Management (IDEM) has received the revised Part A application signed on December 7, 1990. The application was submitted on behalf of Refined Metals by Mr. Jeffery S. Hannapel to resolve the pending administrative action (Cause No. 89-S-J-254).

The revised Part A application amends the storage capacity for spent batteries (SO3) from 200 cubic yards to 400 cubic yards. No additional waste codes were added. The IDEM has reviewed the Part A application and the justification previously submitted (September 18, 1990). Upon review of the documents, the December 7, 1990 Part A application is hereby deemed to be in compliance with 329 IAC 3-38-3(b) and thereby approved.

Please be advised that in approving this Part A application revision IDEM does not grant any rights under interim status that are not otherwise available to Refined Metals Corporation.

If you have any questions concerning this matter, please contact Mr. Phil Perry at 317/232-3397.

Sincerely.

W. Martin Harmless II Assistant Commissioner

Solid and Hazardous Waste Management

cc: Mr. Hak Cho, U.S. EPA, Region V

Ms. Fayloa Wright, U.S. EPA, Region V

Mr. Stan Rorick, IDEM

ANDREWS & KURTH

ATTORNEYS

1701 PENNSYLVANIA AVENUE, N. W.

SUITE 200

WASHINGTON, D.C. 20006

DEC 17 9 00 AH '90

TELEPHONE.(202) 662-2700 TELECOPIER:(202) 662-2739 · TELEX: 79-1208

OTHER OFFICES: HOUSTON DALLAS LOS ANGELES

December 14, 1990

Mr. H. Martin Harmless, II Assistant Commissioner Office of Solid and Hazardous Waste Department of Environmental Management 105 South Meridian Street P.O. Box 6015 Indianapolis, Indiana 46206

Re: Refined Metals Corporation

IND 000718130

Dear Mr. Harmless:

Enclosed please find a revised Part A permit application for the Refined Metals Corporation's facility located in Beech Grove, Indiana. The revised Part A permit application amends the design capacity for the battery storage area that is operated under interim status at the facility. The amended design capacity has been the subject of an administrative action (Cause No. 89-S-J-254) in which Refined Metals provided information to the staff of the Department of Environmental Management to support the amended Part A permit application. The staff reviewing the information approved it as sufficient justification to support the revised storage design capacity.

In order to resolve the pending administrative action, state officials requested Refined Metals to submit its Part A permit application to your office for formal approval. Upon formal approval of the revised Part A permit application, the parties will move for dismissal of the pending action.

If you have any questions or would like additional information regarding this matter, please contact us. Thank you for your consideration and efforts regarding this issue.

Sincerely.

Robert N. Steinwurtzel

Jeffery S. Hannapel

Counsel to Refined Metals Corporation

JSH/rah

Enclosure


David Freudiger, Esq. Mr. Phil Perry

Stanley H. Rorick, Esq.

CONTINUED FROM THE FRONT	
VII. SIC CODES (4-digit, in order of priority)	
THE PROPERTY OF THE PROPERTY O	SECONO SECONO
7 3 3 4 1 (specify) Secondary Lead Smelting	(specify) NA
THE THE PARTY OF THE CAMERO CONTROL OF THE PARTY OF THE P	D. FOURTH
(specify) NA	(specify) NA
VIII. OPERATOR INFORMATION	[15] [16 - 15]
THE STATE OF THE STATE OF ALL NAME TO STATE OF ALL NAME TO STATE OF ALL NAME TO STATE OF THE STA	The Company of the name listed I
	Item VIII-A also the bwner?
8 REFINED METALS CORP	₩.YES I NO
CL STATUS OF OPERATOR (Enter the appropriate letter into the answer	A CONTROL OF THE PROPERTY OF T
P. PERSON III. SUBJECT CO. C.	r box: (f."Other", specify.)
P = PRIVATE TO COMPANY AND ADDRESS OF THE PROPERTY OF THE PROP	16 10 - 10 10 - 11 12 10
PO BOX 188	
H CITY OR TOWN	G.STATE H. ZIP CODE IX, INDIAN LAND
	Is the facility located on Indian lands?
B B E E C H G R O V E	
10 10 TOTAL PARTY TOTAL PROPERTY FOR THE STATE OF THE STA	40 41 48 49 51 51 51 51 51 51 51 51 51 51 51 51 51
X. EXISTING ENVIRONMENTAL PERMITS	
A. NPDES (Discharges to Surface Water) D. PSD (Air Emissions	from Proposed Sources)
9 N / 9 P	
18 118 17 178 20 18 18 17 18 20 18 18 18 18 18 18 18 18 18 18 18 18 18	(specify)
GPT TELL TELL TELL TELL TELL TELL TELL TE	(specify)
9 U ; 9 S T A T E	A Q P E R MITS (See Attachment I)
CITILI C. RCRA (Hazardous Wastes)	(specify)
9 8	100
XI. MAP	
Attach to this application a topographic map of the area extending to the outline of the facility, the location of each of its existing and pr treatment, storage, or disposal facilities, and each well where it injections because the contract of the contr	oposed intake and discharge structures, each of its hazardous waste at fluids underground. Include all springs, rivers and other surface
water bodies in the map area. See instructions for precise requirements	(See Attachment 2)
XII. NATURE OF BUSINESS (provide a brief description)	
Secondary Lead Smelting. The plant processes into refined lead alloys.	s scrap metal and lead bearing raw materials
	·
XIII. CERTIFICATION (see Instructions)	
I certify under penalty of law that I have personally examined and are attachments and that, based on my inquiry of those persons immedapplication; I believe that the information is true, accurate and comfalse information, including the possibility of fine and imprisonment.	ediately responsible for obtaining the information contained in the
A. NAME & OFFICIAL TITLE (type or print) B. SIGNATU	
T. William Freudiger	
Vice President	Dreli Chin 12-170
COMMENTS FOR OFFICIAL USE ONLY	
一方面的一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种一种	一点一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一

ATTACHMENT 1
STATE AIR QUALITY PERMITS

Permit No.	Date <u>Issued</u>	Description
08025	12-29-83	Blast Furnace (Cupola) with Baghouse Cyclone and Afterburner
08027	12-29-83	Sanitary Ventilation for Blast Furnace Slag Tap, Slag Cooling Area, Lead Well and Launder with Cyclone and Baghouse Dust Collectors
08028	12-29-83	Refinery Kettle No. 1
08029	12-29-83	Refinery Kettle No. 2
08030	12-29-83	Refinery Kettle No. 3
08031	12-29-83	Refinery Kettle No. 4
08032	12-29-83	Refinery Kettle No. 5
08033	12-29-83	Refinery Kettle No. 6
08034	12-29-83	Refinery Kettle No. 7



Please print or type in the unshaded areas only (filk—in areas are spaced for elite type, i.e., 12 charges/inch). Form Approved OMB No. 158-S80004													
FORM HAZARDOUS WASTE PERMIT APPLICATION									I. EPA I.D. NUMBER				
R	Ű CR.		1) E F A	(This informati			mits Pro	•		of Ri	CRA.)	FINDOOO7181130
F	FOR OFFICIAL USE ONLY												
			ED		<u> </u>				<u>'</u>			OMMENTS	Budden and the second of the s
22 24 70											And the second s		
_	II. FIRST OR REVISED APPLICATION Place an "X" in the appropriate box in A or B below (mark one box only) to indicate whether this is the first application you are submitting for your facility or a												
revised application. If this is your first application and you already know your facility's EPA I.D. Number, or if this is a revised application, enter your facility's EPA I.D. Number in Item I above.													
A.				PPLICATION (place ISTING FACILITY ()	See instructions for	definitio					OI	Battery	Storage Area) [2.NEW FACILITY (Complete item below.)
٦	Complete item below.) FOR NEW FACILITIES, PROVIDE THE DATE (yr., mo., & day) FOR EXISTING FACILITIES, PROVIDE THE DATE (yr., mo., & day) FOR NEW FACILITIES, PROVIDE THE DATE (yr., mo., & day) OAY (yr., mo., & day) OPERA-												
8	8 OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED TION BEGAN OR IS (use the boxes to the left) EXPECTED TO BEGIN												
	RE	:VI	SEC	APPLICATION ()	•	and com	piete Iti	m I abou	ve)				2. FACILITY HAS A RCRA PERMIT
111	. P	RO	CES	SES - CODES AN	ID DESIGN CAPA	CITIE	S					19.70-3	
A,	PR	oci	ESS	CODE - Enter the co	de from the list of p	rocess c	odes bei	ow that	best d	lescr	ibes e	ach process to	be used at the facility. Ten lines are provided for that is not included in the list of codes below, then
				e process (including it									that is not included in the list of codes below, then
В.	1.	AM	OU	DESIGN CAPACITY NT — Enter the amount	nt.					•	•	•	
	2.	UN me:	IT (OF MEASURE — For a used. Only the units	each amount entered s of measure that are	d in colu listed b	mn B(1) elow sh), enter ti ouid be u	he cod	de fi	om ti	ne list of unit	measure codes below that describes the unit of
					PRO- APPROPE CESS MEASUR	EFORF	ROCES						PRO- APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS
s	tora	ide:		ROCESS	CODE DESIG	N CAPA	CITY		Trea			ROCESS	CODE DESIGN CAPACITY
C	ON	TA	NE	R (barrel, drum, etc.)	502 GALLONS	OR LIT	ERS		TAP	чĸ		•	T01 GALLONS PER DAY OR LITERS PER DAY
			PIL: Ee i	E MPOUNDMENT	S03 CUBIC YA CUBIC ME S04 GALLONS	TERS					CE IN	1POUNDMEN DR	T T02 GALLONS PER DAY OR LITERS PER DAY T03 TONS PER HOUR OR
_) 	_	WELL									METRIC TONS PER HOUR: GALLONS PER HOUR OR LITERS PER HOUR
			LL	WELL	D79 GALLONS D80 ACRE-FEE Would cove	T (the vi	olume ti e to a	hat	ther	mai	or bu	for physical, o plogical treatm	chemical, T04 GALLONS PER DAY OR
L	AN	D A	PPL	ICATION	depth of on HECTARE- D81 ACRES OR	METER			surfe	ace i	mpou	occurring in t indments or in be the process	iciner-
				POSAL MPOUNDMENT	D82 GALLONS LITERS PE D83 GALLONS	RDAY						vided; Item II	
					UNIT OF							INIT OF	UNITOF
_				EASURE	MEASURE CODE			ASURE				CODE .	UNIT OF MEASURE CODE
ᆫ	ITE	RS	٠.		L	TONS	PER H	DAY OUR IS PER H				0	ACRE-FEET
c	U B I	10 1	4ET	ERS	c	GALL	ONS PE	R HOUR	R			Ε	ACRESB HECTARESQ
EX.	AM er c	PLE an i	FO	R COMPLETING ITS 400 gallons. The faci	EM III <i>(shown in line</i> ility also has an incid	<i>numbe</i> nerator t	rs X-1 i hat can	nd X-2 burn up	to 20): A	ons p	ity has two st	orage tanks, one tank can hold 200 gallons and the
ċ				DUP	T/A C	77	77	1	7	<u> </u>	ب	111	
<u> </u>	Г	=			DESIGN CAPAC	ITY	-1	77	$\frac{1}{1}$	$^{\perp}$		B PR	POCESS DESIGN CAPACITY
E 10EF	0	PF	5			2. UN OF ME	IT OF	FOR FICIAL	BER	C	PRO ESS ODE		2. UNIT OFFICIA
Z Ž	(fr	om bou	list	1. AMC (spec		SUR! (ente	F C	NLY	NCM	(fre	om lie	t	1. AMOUNT USE (enter code)
X-1	16	<u> </u>	10	600	17	- 124	29	72	1	16	- 19	10	17 19 29 1
	-	Η-	2	800	<u> </u>	G		+-	5		+		
$X-2T \mid 0 \mid 3 \mid \qquad \qquad$						6							
I	S	0	3	(Battery Sto	orage Area)	Y			7				
2				400		I	++	++-	8				
 3	_	<u> </u> 			·		+		-				
	_				·				9				
4	_	_	-,		27	1	29	- 12	10	با	<u> </u>	1 10	v
EPA	Fo	m	351	0-3 (6-80)				PACE	1 0				CONTINUE ON REVERS

III. PROCESSES (continued)

2. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESSES (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

NA

IV. DESCRIPTION OF HAZARDOUS WASTES

- A. EPA HAZAROOUS WASTE NUMBER Enter the four—digit number from 40 CFR, Subpart D for each listed hazardous waste you will handle. If you handle hazardous wastes which are not listed in 40 CFR, Subpart D, enter the four—digit number(s) from 40 CFR, Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- 3. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non—listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE CODE
POUNDSP	KILOGRAMS
TONS	METRIC TONS

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code/s/ from the list of process codes contained in Item III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous wastes: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in Item III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form, ...,

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER — Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B,C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
 In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste, in column D(2) on that line enter
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste, in column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM IV (shown in line numbers X-1, X-2, X-3, and X-4 below) — A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non—listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

ш	A. EPA HAZARD.		C. UNIT		D. PROCESSES										
ZO WASTENO JZ (enter code)		B. ESTIMATED ANNUAL QUANTITY OF WASTE	SURE (enter code)		1. PROCESS CODES (enter)										2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K 0 5 4	900	P	•	Т	0	3	D	8	0	Γ			T	
X-2	D 0 0 2	400	P		T	0	3	D	8	0	1		'		
X-3	D 0 0 1	100	P		T	0	3	D	8	0				1	
X-4	D 0 0 2					П						7		7	included with above

EPA Form 3510-3 (6-80)

Continued from page 2. Form Approved OMB No. 158-\$80004 NOTE: Photocopy this page before completing if you have more than 26 wastes to list. FOR OFFICIAL USE ONLY EPA I.D. NUMBER (enter from page 1) WI П 7 8 d d ď W DUP DUP IV. DESCRIPTION OF HAZARDOUS WASTES (continued) C. UNIT OF MEA-SURE (enter code) A. EPA
HAZARD.
ZO WASTENO
JZ (enter code) D. PROCESSES 5. . . . 5. * B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION
(if a code is not entered in D(1)) 1. PROCESS CODES (enter) 28 27 - 29 27 34 29 27 d d d 2 T S 0 1600* (Battery Storage Area) 2 DO 0 8 3 4 5 6 7 8 * Quantity shown represents the maximum quantity in storage at any one time 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26


IV. DESCRIPTION OF HAZARDOUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM ITEM D(1) ON PAGE 3.

NA

EPA 1.D. NO. (enter from page 1) F I N D 0 0 0 7 1 8 1 3 0 6 V. FACILITY DRAWING									
All existing facilities must include in the space provided on				etail). (See artachment 3)					
				(See accachment)					
VI. PHOTOGRAPHS All existing facilities must include photographs (aerial or ground—level) that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of the process of the process of the storage of the process of t									
VII. FACILITY GEOGRAPHIC LOCATION				AND REPORT OF THE PROPERTY.					
LATITUDE (degrees, minutes, & seconds)	LONG	TUDE (degrees,	minutes, & seconds)					
63 66 67 68 69 - 71		·	72 - 74 75	71 77 - 79					
VIII. FACILITY OWNER				And the Cartination of the Carti					
A. If the facility owner is also the facility operator as listed in Section VIII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below.									
B. If the facility owner is not the facility operator as I	isted in Secti	on VIII on Form 1, complete the f	following items:	<u> </u>					
1. NAME OF FACIL	ITY'S LEG	AL OWNER		2. PHONE NO. (area code & no.)					
E REfined Metals Corp. Lee Swa	in, Pre	sident		9 0 1 -7 7 5 -3 7 7 0					
3. STREET OR P.O. BOX		4. CITY OR TOWN	5	ST. 6. ZIP CODE					
F P. O. Box 9006	Ğ	Memphis	T	N 38109					
IX. OWNER CERTIFICATION			2000						
I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.									
A. NAME (print or type)	B. SIGNA	TURE		C. DATE SIGNED					
T. William Freudiger Vice President	/	Menelly		12-7.90					
X, OPERATOR CERTIFICATION	1.0	· 人名英格兰克 海门关系的							
I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.									
A. NAME (print or type)	B. SIGNA	TURE		C. DATE SIGNED					
NA	N.	A		NA					
FD4 5 3510 0 /0 00)									


(See Attachment 3)



LEGEND



CONTAINER STORAGE AREA



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



105 South Meridian Street
P.O. Box 6015
Indianapolis 46206-6015
Telephone 317-232-8603

ptember 20, 1989

VIA CERTIFIED MAIL - P730-167-587

Mr. T. William Freudiger, Vice President Refined Metals Corporation P.O. Box 9009 Memphis, Tennessee 38109

> Re: Interim Status Expansion Request Refined Metals Corporation Beech Grove, Indiana IND 000718130

Dear Mr. Freudiger:

On May 8, 1989, the Indiana Department of Environmental Management (IDEM) received your letter concerning Refined Metal's justification for increasing the battery storage capacity from two hundred (200) cubic yards to four hundred (400) cubic yards.

In previous letters submitted by Refined Metals dated November 1, 1988, and January 23, 1989, no justification or demonstration of the lack of other hazardous waste management facilities was made. On the May 8, 1989, a justification was provided, however, there has been no demonstration of a lack of available treatment, storage, recovery or disposal capacity at other hazardous waste management facilities as requested pursuant to 329 IAC 3-38-3(b).

Since Refined Metals has failed to demonstrate the lack of available treatment, storage, recovery or disposal capacity at other hazardous waste management facilities, IDEM denies Refined Metals request to increase interim status battery storage capacity. The battery storage capacity shall remain at two hundred (200) cubic yards.

If you wish to challenge this decision, IC 13-7-10-2.5 and IC 4-21.5-3-7 require that you file a Petition for Administrative Review. If you seek to have the effectiveness of the decision stayed during the administrative review, you must also file a Petition for Stay. The petition(s) must be submitted to the Commissioner at the above address within fifteen (15) days after your receipt of this notice. The petition(s) must include facts demonstrating that you are either the applicant, a person aggrieved or other wise adversely affected by the decision, or other wise entitled to review by law. Additionally, IC 13-7-10-2.5 requires that a Petition for Administrative Review must include:

The name and address of the person making the request.
 An Equal Opportunity Employer

- 2. The interest of the person making the request.
- Identification of any persons represented by the person making the request.
- 4. The reasons, with particularity, for the request.
- The issues, with particularity, proposed for consideration at the hearing.
- 6. Identification of the terms of the decision which, in the judgement of the person making the request, would be appropriate in the case in question to satisfy the requirements of the law governing licenses of the type granted or denied by the Commissioner.

Pursuant to IC 14-21.5-3-1(f), any document serving as a petition for review or review and stay must be filed with Kathy Prosser, Technical Secretary of the Solid Waste Management Board. Filing of such a document is complete on the earliest of the following dates:

- the date on which the petition is delivered to the Office of the Technical Secretary of the Solid Waste Management Board, located at 105 South Meridian Street, Fifth Floor, Indianapolis, Indiana 46225;
- 2. the date of the postmark on the envelope containing the petition, if the petition is mailed by United States mail; or
- 3. the date on which the petition is deposited with a private carrier, as shown by a receipt issued by the carrier, if the petition is sent by private carrier.

If you have any questions regarding this matter, please contact Mr. Phil Perry at AC 317/232-3220.

Sincerely,

Bruce H. Palin

Bruce H Palin

Acting Assistant Commissioner for Solid and Hazardous Waste Management

cc: Mr. Hak Cho, U.S. EPA, Region V

Ms. Fayola Wright, U.S. EPA, Region V

Mr. David Berrey, IDEM

Mr. Dennis Zawodni, IDEM

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



105 South

105 South Meridian Street

P.O. Box 6015

Indianapolis
Telephone 3

NANCY A. MALOLEY, Commissioner

46206-6015 317-232-8603

VIA CERTIFIED MAIL - P652-575-165

April 7, 1989

Mr. T. William Freudiger, Vice President Refined Metals Corporation P.O. Box 9009 Memphis, Tennessee 38109

Re: Interim Status Expansion Request

Refined Metals Corporation

Beech Grove, Indiana

IND 000718130

Dear Mr. Freudiger:

On January 23, 1989, our office received your letter requesting that Refined Metal's Part A permit application be updated to increase your battery storage capacity from two hundred (200) cubic yards to four hundred (400) cubic yards.

In our original correspondence dated January 5, 1989, it was recommended that the capacity increase request be addressed through a modification to your Part B permit application. This was intended only as a recommendation and not as a denial of your request. Indiana Hazardous Waste Rule 329 IAC 3-38-3(b) states "increases in the design capacity of processes used at a facility may be made if the owner or operator submits a revised Part A permit application." Section 3(b) also includes the requirement for justification explaining the need for change and describing the lack of available treatment, storage, recovery or disposal capacity at other hazardous waste management facilities.

In both letters received from Refined Metals, no justification or demonstration of the lack of other hazardous waste management facilities was made. Since your request for increased storage capacity indicated that no changes or reconstruction to the facility will be required, no further discussion on this particular matter will be required pursuant to 329 IAC 3-38-3(e). In order to address the above issues, please submit substantial documentation to this office within fifteen (15) days from receipt of this letter. Failure to submit necessary documentation will result in the denial of your request.

16162

If you have any questions regarding this matter, please contact Mr. Phil Perry at AC 317/232-3220.

Thomas E. Linson, Chief Plan Review and Permit Section Hazardous Waste Management Branch Solid and Hazardous Waste Management

PP/jlw

cc: Mr. Hak Cho, U.S. EPA, Region V Ms. Fay Wright, U.S. EPA, Region V





please file thanks.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT NANCY A. MALOLEY, Commissioner

105 South Meridian Street P.O. Box 6015

Indianapolis
Telephone 31

46206-6015 317-232-8603

OFFICE OF FORA
Waste Management Division
U.S. EPA, REGION V

January 5, 1989

Mr. T. William Freudiger, Vice President Refined Metals Corporation P.O. Box 9009 Memphis, Tennessee 38109

> Re: Interim Status Expansion Request Refined Metals Corporation Beech Grove, Indiana IND 000718130

Dear Mr. Freudiger:

On November 1, 1988, our office received your request for an interim status expansion of your battery storage area from two-hundred (200) cubic yards to four-hundred (400) cubic yards, with attached modified Part A Application dated October 26, 1988. Unless it can be demonstrated that there is a lack of available treatment, storage, recovery, or disposal capacity at other state hazardous waste management facilities (329 IAC 3-38-3(b)), it is recommended that this expansion request be addressed through a modification of your Part B Application, rather than as a Part A change during interim status.

Also in no event shall changes be made to a hazardous waste management facility during interim status which amount to reconstruction of the facility. Reconstruction occurs when the capital investment in the changes to the facility exceeds fifty (50) percent of the capital cost of a comparable entirely new hazardous waste management facility 329 IAC 3-38-3(e).

Should you wish to address the above issues with regard to your expansion request, please submit substantial documentation to this office within twenty (20) days of the date of receipt of this letter. Failure to submit necessary documentation will result in the denial of your request.

Mr. T. William Freudiger Page 2

If you have any questions regarding this matter, please contact Ms. Jill Stevens at AC 317/232-3243.

Very truly yours,

Thomas E. Linson, Chief

Plan Review and Permit Section Hazardous Waste Management Branch Solid and Hazardous Waste Management

JS/td

cc: Mr. Hak Cho, U.S. EPA, Region V

Mr. Bernie Orenstein, U.S. EPA, Region V